

Riferimenti:

1. Santhan KS, Gopal, Jai Kelkar, Aditya Kelkar, Abhishek Pandit. Simplified updates on the pathophysiology and recent developments in the treatment of amblyopia: A review. *Indian J Ophthalmol* 2019; 67(9):1392-1399
2. Scheiman MM, Hertle RW, Beck RW, Edwards AR, Birch E, Cotter SA, et al. Randomized trial of treatment of amblyopia in children aged 7 to 17 years. *Arch Ophthalmol* 2005; 123:437-47.
3. Repka MX, Beck RW, Holmes JM, Birch EE, Chandler DL, Cotter SA, et al. A randomized trial of patching regimens for treatment of moderate amblyopia in children. *Arch Ophthalmol* 2003; 121:603-11.
4. US Preventive Services Task Force. Vision screening for children 1 to 5 years of age: US Preventive Services Task Force Recommendation statement. *Pediatrics* 2011; 127:340-6.
5. Spierer A, Raz J, BenEzra O, Herzog R, Cohen E, Karshail, et al. Treating amblyopia with liquid crystal glasses: A pilot study. *Invest Ophthalmol Vis Sci* 2010; 51:3395-8
6. Li T, Shotton K. Conventional occlusion versus pharmacologic penalization for amblyopia. *Cochrane Database Syst Rev* 2009;(4): CD006460. Doi: 10.1002/14651858.CD006460.pub2
7. Simons K. Amblyopia characterization, treatment, and prophylaxis. *Surv Ophthalmol* 2005; 50:123-66.
8. Vijay Tailor, Manuela Bossi, John A. Greenwood, and Annegret Dahlmann-Noor1. Childhood amblyopia: current management and new trends. *British Medical Bulletin*, 2016, 119:75-86
9. Birch EE. Amblyopia and binocular vision. *Prog Retin Eye Res* 2013; 33:67-84.
10. Greenwood JA, Tailor VK, Sloper JJ, et al. Visual acuity, crowding, and stereo-vision are linked in children with and without amblyopia. *Invest Ophthalmol Vis Sci* 2012; 53:7655-65.
11. Pradeep A, Proudlock FA, Awan M, et al. An educational intervention to improve adherence to high-dosage patching regimen for amblyopia: a randomised controlled trial. *Br J Ophthalmol* 2014; 98:865-70.
12. Tailor V, Bossi M, Bunce C, et al. Binocular versus standard occlusion or blurring treatment for unilateral amblyopia in children aged three to eight years. *Cochrane Database Syst Rev* 2015;8: CD011347.
13. Angela M. Chen, Susan A. Cotter. The Amblyopia Treatment Studies: Implications for Clinical Practice. *Dv Ophthalmol Optom*. 2016 August; 1(1): 287-305
14. Gail D.E. Maconachie, Irene Gottlob. The challenges of amblyopia treatment. *Biomedical Journal* Volume 38, Issue 6, December 2015, Pages 510-516
15. Leat SJ. To prescribe or not to prescribe? Guidelines for spectacle prescribing in infants and children. *Clin Exp Optom* 2011; 94:514-27
16. Moseley MJ, Neufeld M, McCarry B, Charnock A, McNamara R, Rice T, et al. Remediation of refractive amblyopia by optical correction alone. *Ophthalmic Physiol Opt* 2002; 22:296-9.
17. Stewart CE, Moseley MJ, Fielder AR, Stephens DA, MOTAS Cooperative. Refractive adaptation in amblyopia: quantification of effect and implications for practice. *Br J Ophthalmol* 2004; 88:1552-6.
18. Newsham D. The effect of recent amblyopia research on current practice in the UK. *Br J Ophthalmol* 2010; 94:1352e7.
19. American Academy of Ophthalmology Pediatric Ophthalmology/Strabismus Panel. Preferred practice pattern guidelines. Amblyopia. San Francisco, CA: American Academy of Ophthalmology; 2012. Available from: <http://www.aao.org/ppp>.
20. Paediatric Subcommittee of the Royal College of Ophthalmologists. Guidelines for the management of amblyopia. Royal College of Ophthalmologists; 2006. Available from: <http://www.rcophth.ac.uk/docs/publications/GuidelinesfortheManagementofAmblyopia.pdf>.
21. Michael X. Repka, MD, MBA; Raymond T. Kraker, MSPH; Jonathan M. Holmes, BM, BCh; Allison I. Summers, OD; Stephen R. Glaser, MD; Carmen N. Barnhardt, OD; David R. Tien, MD; for the Pediatric Eye Disease Investigator Group. Atropine vs Patching for Treatment of Moderate Amblyopia Follow-up at 15 Years of Age of a Randomized Clinical Trial. *JAMA Ophthalmol*. 2014 Jul;132(7):799-805
22. Emily W H Tang, Brian C Y Li, Ian Y L Yeung, Kenneth K W Li. Occlusion therapy in amblyopia: an experience from Hong Kong. *Hong Kong Med J*. 2014 Feb;20(1):32-6
23. Pediatric Eye Disease Investigator Group Writing Committee; Robert P Rutstein, Graham E Quinn, Elizabeth L Lazar, Roy W Beck, Dean J Bonsall, Susan A Cotter, Eric R Crouch, Jonathan M Holmes, Darren L Hoover, David A Leske, Ingrid J Lorenzana, Michael X Repka, Donny W Suh. A randomized trial comparing Bangerter filters and patching for the treatment of moderate amblyopia in children. *Ophthalmology*. 2010 May;117(5):998-1004.e6

24. A Searle, P Norman, R Harrad and K Vedhara. Psychosocial and clinical determinants of compliance with occlusion therapy for amblyopic children. *Eye* (2002) 16, 150–155
25. Satterfield D, Keltner JL, Morrison TL. Psychosocial aspects of strabismus study. *Arch Ophthalmol* 1993; 3: 1100–1105
26. Packwood EA, Cruz OA, Rychwalski PJ et al. The psychosocial effects of amblyopia study. *J AAPOS* 1999; Feb: 15–17
27. Searle A, Vedhara K, Norman P et al. Compliance with eye patching in children and its psychosocial effects: a qualitative application of protection motivation theory. *Psychol Health Med* 2000; 5: 43–54
28. Jingyun Wang. Compliance and patching and atropine amblyopia treatments. *Vision Res* 2015 Sep; 114:31-40
29. Simonsz, H. J., Polling, J. R., Voorn, R., van Leeuwen, J., Meester, H., Romijn, C., et al. (1999). Electronic monitoring of treatment compliance in patching for amblyopia. *Strabismus*, 7(2), 113–123.
30. Penetar, D. M., & Beatrice, E. S. (1986). Effects of atropine on human pursuit tracking performance. *Aviation, Space and Environmental Medicine*, 57(7), 654–658.
31. Penetar, D. M., Haegerstrom-Portnoy, G., & Jones, R. T. (1988). Combined atropine and 2-PAM Cl effects on tracking performance and visual, physiological, and psychological functions. *Aviation, Space and Environmental Medicine*, 59(12), 1125–1132.
32. Stewart, C. E., Fielder, A. R., Stephens, D. A., & Moseley, M. J. (2005). Treatment of unilateral amblyopia: Factors influencing visual outcome. *Investigative Ophthalmology & Visual Science*, 46(9), 3152–3160.
33. Scheiman, M. M., Hertle, R. W., Kraker, R. T., Beck, R. W., Birch, E. E., Felius, J., et al. (2008). Patching vs atropine to treat amblyopia in children aged 7 to 12 years: a randomized trial. *Archives of Ophthalmology*, 126(12), 1634–1642.
34. Jonathan M. Holmes, BM, BCh; Elizabeth L. Lazar, MS, MPH; B. Michele Melia, ScM; et al. Effect of Age on Response to Amblyopia Treatment in Children. *Arch Ophthalmol*. 2011;129(11):1451-1457
35. Matta, N., & Silbert, D. I. (2013). Effects of atropine on the accommodative system: parameters to consider in its use for penalization treatment of amblyopia. *Binocular Vision & Strabology Quarterly, Simms-Romano's*, 28(1), 39–44.
36. Hainline, B. C., Sprunger, D. C., Plager, D. A., Neely, D. E., & Guess, M. G. (2009). Reverse amblyopia with atropine treatment. *Binocular Vision & Strabismus Quarterly*, 24(1), 25–31.
37. The Pediatric Eye Disease Investigator Group. Risk of amblyopia recurrence after cessation of treatment. *Journal of American Association for Pediatric Ophthalmology and Strabismus Volume* 8, Issue 5, October 2004, Pages 420-428
38. Loudon, S. E., Fronius, M., Looman, C. W., Awan, M., Simonsz, B., van der Maas, P. J., et al. (2006). Predictors and a remedy for noncompliance with amblyopia therapy in children measured with the occlusion dose monitor. *Investigative Ophthalmology & Visual Science*, 47(10), 4393–4400.
39. Arikan, G., Yaman, A., & Berk, A. T. (2005). Efficacy of occlusion treatment in amblyopia and clinical risk factors affecting the results of treatment. *Strabismus*, 13(2), 63–69.
40. Wallace, M. P., Stewart, C. E., Moseley, M. J., Stephens, D. A., & Fielder, A. R. (2013). Compliance with occlusion therapy for childhood amblyopia. *Investigative Ophthalmology & Visual Science*, 54(9), 6158–6166.
41. Stewart, C. E., Stephens, D. A., Fielder, A. R., & Moseley, M. J. (2007b). Objectively monitored patching regimens for treatment of amblyopia: Randomised trial. *BMJ*, 335(7622), 707.
42. Choong, Y. F., Lukman, H., Martin, S., & Laws, D. E. (2004). Childhood amblyopia treatment: Psychosocial implications for patients and primary carers. *Eye (London, England)*, 18(4), 369–375.
43. Tjiam, A. M., Holtslag, G., Van Minderhout, H. M., Simonsz-Toth, B., Vermeulen-Jong, M. H., Borsboom, G. J., et al. (2013). Randomised comparison of three tools for improving compliance with occlusion therapy: An educational cartoon story, a reward calendar, and an information leaflet for parents. *Graefes Archive for Clinical and Experimental Ophthalmology*, 251(1), 321–329.
44. Tjiam, A. M., Vukovic, E., Asjes-Tydemans, W. L., Holtslag, G., Loudon, S. E., Sinoo, M. M., et al. (2010). How Dutch orthoptists deal with noncompliance with occlusion therapy for amblyopia. *Strabismus*, 18(4), 146–166.
45. Horwood, J., Waylen, A., Herrick, D., Williams, C., & Wolke, D. (2005). Common visual defects and peer victimization in children. *Investigative Ophthalmology & Visual Science*, 46(4), 1177–1181.
46. Koklanis, K., Abel, L. A., & Aroni, R. (2006). Psychosocial impact of amblyopia and its treatment: A multidisciplinary study. *Clinical & Experiment Ophthalmology*, 34(8), 743–750.

47. Williams, C., Horwood, J., Northstone, K., Herrick, D., Waylen, A., & Wolke, D. (2006). The timing of patching treatment and a child's wellbeing. *British Journal of Ophthalmology*, 90(6), 670–671.
48. Tripathi, A., O'Donnell, N. P., Holden, R., Kaye, L., & Kaye, S. B. (2002). Occlusion therapy for the treatment of amblyopia: Letting the parents decide. *Ophthalmologica*, 216(6), 426–429.
49. Pediatric-Eye-Disease-Investigator-Group (2011). Clinicians' perspectives of health related quality of life (HRQoL) implications of amblyopia: A qualitative study. *The British and Irish Orthoptic Journal*, 8, 18–23.
50. Dixon-Woods M, Awan M, Gottlob I. Why is compliance with occlusion therapy for amblyopia so hard? A qualitative study. *Arch Dis Child* 2006; 91:491e4.
51. Anne Goransson, Lars Owe Dahlgren, Gunnar Lennerstrand. Changes in conceptions of meaning, effects and treatment of amblyopia. A phenomenographic analysis of interview data from parents of amblyopic children. *Patient Education and Counseling* 34 (1998) 213–225
52. D Newsham. A randomised controlled trial of written information: the effect on parental non-concordance with occlusion therapy. *Fr. J Oftalmolo.* 2002 luglio;86(7):787-91
53. Sana Al-Zuhaibi, Iman Al-Harthi, Pascale Coymans, Aisha Al-Busaidi, Yahya Al-Farsi, Anuradha Ganesh. Compliance of amblyopic patients with occlusion therapy: A pilot study. *Oman J Ophthalmol.* 2009 May;2(2):67-72.
54. Philip Lempert. Occlusion studies are ambiguous. *BMJ.* 2007 Oct 27;335(7625):842
55. Giaschi, D.E., Regan, D., Kraft, S.P., Hong, X.H., 1992. Defective processing of motiondefined form in the fellow eye of patients with unilateral amblyopia. *Invest. Ophthalmol. Vis. Sci.* 33, 2483e2489.
56. Lempert, P., 2003. Axial length-disc area ratio in esotropic amblyopia. *Arch. Ophthalmol.* 121, 821e824.
57. Lempert, P., 2004. The axial length/disc area ratio in anisometric hyperopic amblyopia: a hypothesis for decreased unilateral vision associated with hyperopic anisometropia. *Ophthalmology* 111, 304e308.
58. Lempert, P., 2008a. Optic disc area and retinal area in amblyopia. *Semin. Ophthalmol.* 23, 302e306.
59. Lempert, P., 2008b. Retinal area and optic disc rim area in amblyopic, fellow, and normal hyperopic eyes: a hypothesis for decreased acuity in amblyopia. *Ophthalmology* 115, 2259e2261.
60. Catherine E Stewart, Michael P Wallace, David A Stephens, Alistair R Fielder, Merrick J Moseley, MOTAS Cooperative. The effect of amblyopia treatment on stereoacuity. *J AAPOS.* 2013 Apr;17(2):166-73
61. Angela M. Tjiam & Hilal Akcan & Fatma Ziylan & Elizabet Vukovic & Sjoukje E. Loudon & Caspar W. N. Looman & Jan Passchier & Huibert J. Simonsz. Sociocultural and psychological determinants in migrants for noncompliance with occlusion therapy for amblyopia. *Graefes Arch Clin Exp Ophthalmol* (2011) 249:1893–1899.
62. Van Wieringen JC, Harmsen JA, Bruijnzeels MA (2002) Intercultural communication in general practice. *Eur J Public Health* 12:63–68
63. Schouten BC, Meeuwesen L (2006) Cultural differences in medical communication: a review of the literature. *Patient Educ Couns* 64:21–34
64. Norredam M, Nielsen SS, Krasnik A (2009) Migrants' utilization of somatic healthcare services in Europe—a systematic review. *Eur J Public Health* 20:555–563
65. Seeleman C, Suurmond J, Stronks K (2005) Een arts van de wereld. Etnische diversiteit in de medische praktijk. A doctor of the world. *Ethical diversity in medical practice.* Bohn Stafleu van Loghum, Houten
66. David Newsham. Parental non-concordance with occlusion therapy. *Br J Ophthalmol* 2000;84: 957–962
67. Ley P. Understanding, memory, satisfaction and compliance. *Br J Clin Psychol* 1982;21: 241–54.
68. Translatedlabs. <https://translatedlabs.com/leggibilit%C3%A0-del-testo> [consultato il 13/04/2022]
69. J Carlton and E Kaltenthaler. Amblyopia and quality of life: a systematic review. *Eye* (2011) 25, 403–413
70. Holmes JM, Strauber S, Quinn GE, Cole SR, Felius J, Kulp M. Further validation of the Amblyopia Treatment Index parental questionnaire. *J AAPOS* 2008; 12: 581–584.
71. S E Loudon, J Passchier, L Chaker, S de Vos, M Fronius, R A Harrad, C W N Looman, B Simonsz, H J Simonsz. Psychological causes of non-compliance with electronically monitored occlusion therapy for amblyopia. *Br J Ophthalmol.* 2009 Nov;93(11):1499-503.
72. Simons K, Preslan M. Natural history of amblyopia untreated owing to lack of compliance. *Br J Ophthalmol* 1999; 83:582–7
73. Loudon SE, Polling JR, Simonsz HJ. Electronically measured compliance with occlusion therapy for amblyopia is related to visual acuity increase. *Graefes Arch Clin Exp Ophthalmol* 2003; 241:176–80.

74. Ann L. Webber, Joanne M. Wood, Glen A. Gole, and Brian Brown. Effect of Amblyopia on Self-Esteem in Children. *Optometry and Vision Science*, Vol. 85, No. 11, November 2008. *Optom Vis Sci* 2008; 85:1074-81.
75. Bogdanici Stefan Tudor, Roman Alexandra, Bogdanici Camelia "Grigore T. Popa" University of Medicine and Pharmacy, Iasi, Romania "Sf. Spiridon" Emergency Hospital, Iasi, Romania. School integration for patients with amblyopia. *Romanian Journal of Ophthalmology*, Volume 59, Issue 1, January-March 2015. Pp:48-51
76. Guimaraes S, Carção AA, Carvalho MR, Vieira MJ, Freitas C, Morgado P, Quality of life and mental health in amblyopic children treated with and without occlusion therapy, *Journal of AAPOS* (2019), doi: <https://doi.org/10.1016/j.jaapos.2019.09.009>.
77. Pediatric Eye Disease Investigator Group. Impact of patching and atropine treatment on the child and family in the amblyopia treatment study. *Arch Ophthalmol*. 2003 Nov;121(11):1625-32.
78. <http://www.psychomedia.it/neuro-amp/97-98-sem/rossi.htm> [consultato il 7/11/2021]
79. Zammuner V. L. Tecniche dell'intervista e del questionario. Il Mulino, 2003.
80. www.speciallello.com
81. <https://www.instagram.com/occhideibimbi/>